EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20080259949"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/26 14:03
S2	2	"20020126649"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 15:54
S3	43184	370/229,230,431,436,442-444,458,461.ccls. or "710".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:15
S4	34910	S3 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:16
S5	202108	(time near2 slot) or (time near2 division)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:16
S6	29372	(time near2 period) with (repeat$3 or repitit$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:17
S7	438	S5 same S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:17
S8	26	S4 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:17
S9	1	((EDWIN) near2 (RIJPEKEMA)).INV.	US-PGPUB; USPAT	OR	ON	2009/06/11 16:17
S10	27	S7 and (discard$3 or drop$4 or throw$3) with (packet or message or frame or datagram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 18:08
S11	20	S10 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 18:09

S12	4912	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S13	3715	S12 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S14	202108	(time near2 slot) or (time near2 division)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S15	1280	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S16	29372	(time near2 period) with (repeat$3 or repitit $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S17	438	S14 same S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S18	5	S13 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S19	1280	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:44
S20	165	S12 same S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:45
S21	141	S20 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:45
S22	43184	370/229,230,431,436,442-444,458,461.ccls. or "710".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:45
S23	22	S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:45

S24	1726	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:51
S25	1425	S24 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:51
S26	224	S25 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:51
S27	1007	cross$3 near2 time near2 (slot or period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 11:02
S28	1	S27 same (ACK or acknowledg$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 11:03
S29	5	S27 same (ACK or acknowledg$5 or confirm $5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 11:03
S30	54972	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710". clas. or 375/316,346.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:23
S31	1726	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S32	340	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S33	294	S32 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S34	4913	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S35	496	S30 and S34 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27

S36	78	S30 and S31 and S34 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S37	57162	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710". clas. or 375/316,346.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S38	1809	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S39	5146	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S40	78	S37 and S38 and S39 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S41	25	S40 and (integrat$5 near2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S42	3	10/298520	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:45
S43	299097	SOC or (system near2 on near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:20
S44	255318	S43 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:21
S45	1494	(cross$3 with (time near2 slot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:21
S46	12	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:21
S47	299097	SOC or (system near2 "on" near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:23

S48	300514	SOC or (system near2 on near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S49	1263857	S48 or (integrat$5 near2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S50	57607	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710". clas. or 375/316,346.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S51	1819	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S52	5196	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S53	78	S50 and S51 and S52 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S54	35	S49 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S55	1825	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:32
S56	5208	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:32
S57	373	S55 and S56 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:32
S58	300982	SOC or (system near2 on near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:33
S59	1266951	S58 or (integrat$5 near2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:33

S60	176	S57 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:33
S61	212199	(time near2 slot) or (time near2 division)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:34
S62	30662	(time near2 period) with (repeat$3 or repitit $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:34
S63	452	S61 same S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:34
S64	0	S60 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:34
S65	2713	S61 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:35
S66	3	S60 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:35
S67	1267615	SOC or (system near2 on near2 chip) or (integrat$5 near2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:44
S68	1828	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45
S69	436504	(flow$3 congest$5) near2 control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45
S70	27169	S67 with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45
S71	0	S68 same S69 same S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45

S72	0	S67 same S68 same S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45
S73	3058	S67 same (S68 or S69)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:46
S74	91	S70 same (S68 or S69)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:46
S75	65	S74 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:46
S76	1270723	SOC or (system near2 "on" near2 chip) or (integrat$5 near2 circuit) or NOC or (network near2 "on" near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:47
S77	29369	S76 with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:48
S78	124	S77 same (S68 or S69)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:48
S79	83	S78 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:48
S80	1	((EDWIN) near2 (RIJPEKEMA)).INV.	US-PGPUB; USPAT	OR	ON	2009/12/01 13:00
S81	58895	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710".clas. or 375/316,346.ccls. or 719/313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:08
S82	16	S75 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:08
S83	3	"20040103230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:17

S84	2	"20060095920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 11:00
S85	2	"20060095920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 11:01
S86	3	"20060041888"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 11:02
S87	3	"20060041888"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 11:02
S88	3	"20060041889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:30
S89	1294568	SOC or (system near2 "on" near2 chip) or (integrat$5 near2 circuit) or NOC or (network near2 "on" near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:27
S90	30154	S89 with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:27
S91	30154	S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:27
S92	62464	(FIFO or (senior and junior) or priority) with (packet or stream or message or datagram or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:28
S93	2308	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:28
S94	30154	(SOC or (system near2 "on" near2 chip) or (integrat$5 near2 circuit) or NOC or (network near2 "on" near2 chip)) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:28
S95	140	((SOC or (system near2 "on" near2 chip) or (integrat$5 near2 circuit) or NOC or (network near2 "on" near2 chip)) with network) same (FIFO or (senior and junior) or priority) with (packet or stream or message or datagram or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:29

S96	111	S95 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:29
S97	46263	370/229,230,431,436,442-444,458,461.ccls. or "710".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:29
S98	10	S97 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:29
S99	1875	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:30
S100	32	S96 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:30
S101	28	S91 and S92 and S99 and (time near slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:41
S102	28	S101 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/17 10:41
S103	3	10/412784	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 09:49
S104	15	(US-20040052269-$ or US-20080285691-$ or US-20060087969-$ or US-20040225781-$ or US-20060041889-$ or US-20050203988-$ or US-20020191642-$ or US-20020176429-$ or US-20040093467-$ or US-20050058149-$).did. or (US-7206280-$ or US-7496112-$ or US-7539134-$ or US-7464310-$ or US-5029166-$).did.	US-PGPUB; USPAT	OR	ON	2010/02/18 10:29
S105	1295555	SOC or (system near2 "on" near2 chip) or (integrat$5 near2 circuit) or NOC or (network near2 "on" near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:31
S106	10	S104 and S105	US-PGPUB; USPAT	OR	ON	2010/02/18 10:31
S107	3	10/453899	US-PGPUB; USPAT	OR	ON	2010/02/18 10:32
S108	1	"7206280".pn.	US-PGPUB; USPAT	OR	ON	2010/02/18 10:48

S109	47	(network with element) same (mobile near2 device) same S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:49
S110	29	S109 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:49
S111	701	(network with (element device node)) same (mobile near2 (element device node)) same S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:53
S112	241	S111 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:54
S113	46296	370/229,230,431,436,442-444,458,461.ccls. or "710".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:54
S114	3	S112 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:54
S115	1071	cross$3 near2 time near2 (slot or period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 11:00
S116	5	S115 same (ACK or acknowledg$5 or confirm $5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 11:00
S117	5	S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 11:00
S118	60308	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710".clas. or 375/316,346.ccls. or 719/313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 11:02
S119	6	S112 and S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 11:02

2/18/2010 11:09:51 AM
C:\ Documents and Settings\ pmasur\ My Documents\ 2010\ 2010 - Quarter 2\ 10_598299\ 10_598299a.wsp